



# JEANNÉ WAGNER THEATRE

AT THE

## ROSE WAGNER PERFORMING ARTS CENTER

138 WEST BROADWAY, SALT LAKE CITY, UT 84101

### SEATING CAPACITY

Half House (Main Floor Only): 327

Full House: 500

## FACILITY DATA

- Facility owned and operated by Salt Lake County Arts & Culture
- The Rose Wagner Performing Arts Center, housing the Jeanné Wagner Theatre, was constructed in two phases that opened in 1997 & 2001 and is home to several local Resident dance and theatre companies
- Located in the heart of Downtown Salt Lake City
- 15 minutes from Salt Lake City International Airport
- Easy access from I-15 Interstate
- Located one block from the Salt Palace Convention Center

## THEATRE STAFF

### PRODUCTION MANAGER

James Boggess.....(385) 468-1120

### TECHNICAL DIRECTORS

Becky Lynn Dawson..... (385) 468-1121

Daniel Bunker.....(385) 468-1123

Rachael Harned.....(385) 468-1122

On-Duty Tech Cell..... (801) 419-2531

**REVISED**  
**3/1/2023**



## TABLE OF CONTENTS

LOADING & UNLOADING.....	PAGE 3
STAGE SPECIFICATIONS.....	PAGE 3
SOFT GOODS.....	PAGE 4
HOUSE RIGGING.....	PAGE 5
LIGHTING EQUIPMENT.....	PAGE 6
HOUSE ELECTRICS.....	PAGE 7
AUDIO EQUIPMENT.....	PAGE 8
HOUSE AUDIO.....	PAGE 9
HOUSE EQUIPMENT.....	PAGE 10
DRESSING ROOMS .....	PAGE 12
SUPPORT SPACES .....	PAGE 13
STAGE/TECHNICAL LABOR.....	PAGE 13
EQUIPMENT AVAILABILITY .....	PAGE 13
INTERNET CONNECTION SERVICES.....	PAGE 13



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### LOADING & UNLOADING

Access to the theatre loading area is through the dead-end alley to the north of the building via 200 West. The alley is 11'2" at the narrowest point. Any traffic through the alley will be interrupted.

TRUCK PARKING	No on-site parking available
LOADING DOCK	Primary loading area at street level Ramp down from truck Motor controlled roll up door, 10' high X 9' wide
PASSENGER ELEVATOR	At stage level Dimensions: Door 7' high X 3'11" wide Car: 7'9" deep X 5' wide Capacity: 4500 lbs. Protective wall blankets provided
LOADING RAMP	16' x 3'; 1,000 lbs. capacity
FORKLIFT	No forklift on site; Technical Director can assist with arrangements

### STAGE SPECIFICATIONS

THEATRE	Proscenium (26' high X 44'5" wide)
MAIN DRAPE	<b><i>Automated drape controlled from stage left</i></b> Guillotine, solid rust color, 100% fullness
STAGE MEASUREMENTS	Proscenium to upstage wall- 46' Proscenium to edge of apron- 3' Proscenium to downstage of orchestra pit- 11' Stage house floor to grid- 65' Plaster line to balcony rail- 40' at 10° Plaster line to spot booth- 53' Plaster line to Beam One- 37' at 50° Plaster line to Beam Two- 45' at 34° House control booth to plaster line- 52'
STAGE FLOOR	<b><i>Please advise if you require lagging into the stage floor; there are no traps.</i></b> <b><i>Floor restoration required.</i></b> Maple, five-layer sprung dance floor, painted black



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### STAGE SPECIFICATIONS CONT'D

#### FLOOR DIMENSIONS

Plaster line to upstage wall- 46'  
Center line to stage left wall- 57'  
Center line to stage right wall- 57'  
Usable space to arbors- 53'6"

#### ORCHESTRA PIT

***Chairs, music stands and lights available***  
Musician Capacity - 30

#### STAGE MANAGER CONTROL

Located downstage left  
Lighting control panel for stage and house lights with monitor

#### VIDEO MONITORS

Locations:  
Stage left and right on pin rail  
Wardrobe  
Rose Room  
Dressing Rooms  
Rehearsal Rooms  
Lobby

### SOFT GOODS

*All Black Curtains are 21oz. velour, sewn flat with a pipe pocket at the bottom*

#### BORDERS

(5) 60' x 15'

#### LEGS

(6) 12' x 30' sets

#### BLACKOUT DROP

(1) 60' x 32'

#### TRAVELER PANELS

(1) 32' x 32' set  
Operated from stage left

#### SCRIMS

(1) Black- 60' x 32'  
(1) White- 60' x 32'

#### CYC

(1) White, Plastic- 60' x 32'  
(1) White Muslin Drop/Bounce- 60' x 32'



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### HOUSE RIGGING

*All line sets have full travel to the grid. Line set schedule, which must be restored, is available from the Technical Director.*

RIGGING	(55) single purchase line sets Each Pipe hangs on 7 steel cables
BATTENS	Standard battens are 60' long House can add 3' extensions on each end All battens have full 60' travel to the grid
GRID HEIGHT	Stage floor to grid- 65' All sheaves are under-hung above the grid Grid is clear for the spot lines and chain motors
WEIGHT	Arbor capacity is 2,000 lbs. House has 30,000 lbs. of counterweight available
LOCKING RAIL	Stage right at stage level, 27'4" above stage floor
PIN RAILS	Stage left and right Pin Rail floor at 27'4" above stage floor
SIDE LIGHT LADDERS	(6) each per side Motorized, control at stage manager panel, stage left
SHEAVES	All sheaves are under-hung above the grid Grid floor clear for spot line sheaves



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### LIGHTING EQUIPMENT

*House is hung in a repertory plot. There are limited refocus options. Repertory plot must be restored at load out or additional charges will apply. Documentation available from the Technical Director.*

LIGHTING CONSOLE                      ETC ION XE 20 (fully unlocked)

FIXTURES:

Source 4 PAR fixtures, Complete Lens Set	(46) Repertory Plot (8) Spare
Source 4 PARNel fixtures, w/ barn doors	(24) Repertory Plot (12) Spare
Altman Focusing CYC Lights	(96) Repertory Plot
Ellipsoidal ETC Source 4 fixtures	10 °    (8) Repertory Plot (4) Spare
	19 °    (68) Repertory Plot (10) Spare
	26 °    (84) Repertory plot (6) Spare
	36 °    (76) Repertory plot (14) Spare
	50 °    (12) Spare
ETC LED Selador Desire D40 Luster+	(16) Repertory Plot
	(50) Template holders (6) Drop-in Iris'
FOLLOW SPOTS	(2) Lycian Superarc 400s 400 Watt 56' throw at 25°



## HOUSE ELECTRICS

### DIMMERS

***All circuits are 3 pin stage connectors***

ETC Sensor 3

(436) Circuits with 2.4 kW dimmers

(24) Balcony rail [307-330]

(24) Beam #1 [211-234 & 259-282]

(24) Beam #2 [235-258]

(24) Box booms [283-294]

(48) Side Light ladders [331-376, 381, 382]

(24 each side)

(6) Orchestra pit [407-412]

(24) CYC 4 socapex/veam/6 circuit [413-436]

(Upstage wall)

(36) #1 electric [1-36]

(36) #2 electric [37-72]

(36) #3 electric [73-108]

(36) #4 electric [109-144]

(36) #5 electric [145-174]

(36) #6 electric [175-210]

(6) Upstage right wall [389-394]

(6) Upstage left wall [383-388]

(6) Downstage right wall [395-400]

(6) Downstage left wall [401-406]

(4) 6 kW dimmers

(2) Balcony rail center [377, 378]

(2) Upstage wall center [379, 380]

(6) Electrics

(2) Universe DMX

DMX located at the stage manager's panel, stage left

(1) FOH Disconnect Panel stage left [D211-330]

### ROAD POWER

(3) 400 Amp, 3 phase 110/120 v

Boxes located at stage left with Camlocks

(1) 200 Amp, 3 Phase 120 v

Box located at stage right with Camlocks



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### AUDIO EQUIPMENT

AUDIO CONSOLE	Avid SC48
PLAYBACK	(1) Denon DN-D4500 Dual CD deck
SPEAKERS:	
Amps	(3) Crown Com-Tech 410 (1) Crown Com-Tech 810 (1) Crown USM 810 digital processor
Cluster	(2) EAW AS460 (1) EAW AS490 (1) EAW AS422
Fills	(2) Balcony- EAW MK2164, each side (1) Main Floor- EAW MK2196, each side Fills mounted in Coves
Monitors	(4) JBL Control 29 AV, 2 per side Mounted on ladders in the 2nd and 4th wings
MICROPHONES	<b><i>Shared with Leona Wagner Black Box and Studio Theatre</i></b> (4) Shure SM58 (3) Shure BETA 58A (3) Shure SM87A (2) Shure BETA 57A (2) Radial Engineering JDI Direct Box
Specific to the Jeanné Wagner Theatre	(2) Shure SM58 Wireless (frequency range: 470-616 MHz) (2) Shure BETA 58A Wireless (frequency range: 470-616 MHz) (4) Shure AD1 Body pack Transmitter (frequency range: 470-616 MHz) (2) Audix OM-5
INTERCOM	<b><i>Communications available to all positions in the theatre</i></b> (1) Hard-wired Clear-Com MS-232/gm (5) 2-channel belt packs Clear-Com RS-702 (5) CC300 Headsets (4) RTS, TRNN30NF10A4M UHF/VHF wireless belt packs (TX: 482-572 MHz/RX: 174-216 MHz) (4) CC300 Headsets included





# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: [saltlakecountyarts.org](http://saltlakecountyarts.org)

### HOUSE AUDIO

#### SOUND BOOTH

Located in rear of orchestra level, center

#### PORTABLE SOUND EQUIPMENT

- (2) EAW 850J 3-Way Speakers
- (3) Crown Macro-Tech 2400 Amplifiers
- (2) XTA DP224 Loudspeaker Processors
- (4) EAW JF80 Full Range Speakers
- (2) EAW FR153z Full Range Speakers
- (2) EAW SM122e Full Range Speakers
- (6) QSC KW 122 Speakers
- (2) Crown K2 Amplifiers
- (1) DBX 1231 EQ
- (1) DBX 131 EQ
- (1) DBX 231 EQ
- (1) PreSonus ACP88 Dynamics Processor
- (6) Ultimate Tripod Speaker Stands
- (2) Alesis Multi Mix 10 Wireless

#### ASSISTED LISTENING

- (1) Telex Sound Mate ST-200 transmitter (frequency range: 72-76 MHz)
- (16) Listen receivers

#### PAGING

Page microphone located stage left  
Audio available in dressing rooms, hallways, green room, wardrobe, and rehearsal studios

#### SHOW FEED

Audio available in dressing rooms, hallways, green room, wardrobe, Rose Room and rehearsal studios



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### HOUSE EQUIPMENT

*This inventory is shared between Jeanné Wagner Theatre, Leona Wagner Black Box, and Studio Theatre.*

PROJECTORS	(1) Barco RLM-W14 on rolling cart .67:1 wide angle lens 1.87-2.56:1 zoom lens
PROJECTION SCREEN	20' x 20' Rosco white plastic front/rear projection
CINEMA PACKAGE:	
Screen	17' x 40' Mulone Frame (Not movable) MDI Matte Screen Surface Side Adjustable Masking
Projector	Barco RLM-W14: 14,500 Lumens
Screen Server	Dolby DSS200
Scaling Switcher	Barco image Pro HD
Playback	Pioneer DVD V8000 LG BluRay/HD-DVD
Guest Inputs	Sony BDP-S380 Composite Video Component- 3 wire and 5 wire S-Video VGA-DB15 Connector DVI HD/SDI
Audio Processing	Dolby CP650 Processor Dolby DMA8 Plus Digital Media Adaptor (6) Channel inputs
LCR Screen Channels	(3) QSC DSC 433 Three Way Speaker System (2) QSC SB 7218 Dual 18" Subwoofers
Surround Sound	(16) QSC ISIS I-82 Surround Sound Speakers Channels and Surround include QSC Power Amplifiers
PIANOS	(1) Baldwin Upright
ORCHESTRA SHELL	(12) Individual pieces, no ceiling piece



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### HOUSE EQUIPMENT CONT'D

ORCHESTRA	(27) Music Stands Music Stand Lights; limited availability Musician Chairs (Banquet chairs may be used in lieu of musicians chairs)
LIFTS AND LADDERS	(1) Genie AWP-36S lift (1) Extension, 24' (1) A Frame, 6' (1) A Frame, 12'
PLATFORM RISERS	<b>Legs from 8" to 36"</b> (2) 4' x 4' (14) 4' x 8'
DANCE FLOOR	<b>Tap or clogging not permitted. Please discuss with Technical Director</b> Harlequin Studio Floor 50' wide x 40' deep
EASELS	(9) Black (8) Blonde
STANCHIONS	(13) Nickle
LECTERNS	(2) Rose Emblem (2) Plexiglas
PODIUM	(1) Carpeted, 8"
TABLES	(5) 6' Seminar (18' x 6') (1) 8' Seminar (18" x 8') (7) 4' Banquet (5) 6' Banquet (35) 8' Banquet (24) 60" Round (22) Cocktail rounds, adjustable height
CHAIRS	(200) Formal "Rose Room" (100) Red and black Folding



## HOUSE EQUIPMENT CONT'D

### LINENS

***Not available for food service***

Available for most table sizes, cleaning fees may apply

## DRESSING ROOMS

*Each dressing room has shower, toilet, wardrobe rack and convenience outlets*

### WARDROBE (19'6" X 21'6")

Located on lower lever, near dressing rooms  
Accessible to road boxes  
Ample power and lighting. Washer, dryer, sink  
(8) Z Rack garment racks

### CHORUS DRESSING ROOMS

(2) rooms, located on lower level  
Women: (18) mirrors  
Men: (14) mirrors

### PRINCIPAL DRESSING ROOMS

(2) rooms, located at stage level, stage left  
Women: (6) mirrors  
Men: (6) mirrors

### ENSEMBLE DRESSING ROOMS

(2) rooms located on lower level, stage right  
Women:  
(2) Make-up stations  
(2) Sinks  
(22) Lockers  
Men:  
(3) Make-up Stations  
(1) Sink  
(20) Lockers



# JEANNÉ WAGNER THEATRE AT THE ROSE

## TECHNICAL SPECIFICATIONS



138 W. Broadway, SLC, UT 84101 | Phone: 385-468-1010 | Web: saltlakecountyarts.org

### SUPPORT SPACES

ROSE ROOM  
(40' X 80')

Located on lower level  
Accessed from lobby stairs or elevator

GREEN ROOM

Located near Rose Room and Wardrobe  
Kitchen includes microwave, refrigerator, sink

PRODUCTION OFFICE

Available upon request

REHEARSAL STUDIOS

**AVAILABLE FOR SEPARATE RENTAL**  
**Include dance mirrors, ballet barres, and Harlequin dance floors**  
Mezzanine Studio (46'5" x 36'10")  
West Studio (42'5" x 53')  
Studio A (40'6" x 31')  
Studio B (40'6" x 33'10")  
Combined Studio A/B (60'10" x 40'6")  
Separated by air wall that is NOT sound proof

### STAGE/TECHNICAL LABOR

Hiring of stage/technical labor is the responsibility of the Contractor and at the Contractor's expense. Contractor must secure dedicated and qualified personnel for the operation of all equipment. Upon request, Salt Lake County Arts & Culture Technical Directors can provide guidance and coordination in securing proper stage/technical labor for the execution of Contractor's events. All stage/technical labor is at Contractor's expense.

### EQUIPMENT AVAILABILITY

Please confirm availability with Technical Director during the advance process.

### INTERNET CONNECTION SERVICES

WI-FI &  
WIRED CONNECTIVITY

Please speak with your Technical Director for latest information on coverage and/or speed/bandwidth, provider, wired connectivity requirements, Wi-Fi access and password.